

BL20B2

Refereed Journals

[2000]

- [1] "X-Ray Imaging Microscopy Using a Micro Capillary X-Ray Refractive Lens"
Y. Kohmura, K. Okada, M. Awaji, Y. Suzuki, T. Ishikawa, Yu I. Dudchik, N. N. Kolchevsky, F. F. Komarov
X-Ray Microscopy: Proceedings of the Sixth International Conference (AIP Conference Proceedings 507), **CP507**, (2000), 566–570
- [2] "Visualization, Quantification, and Therapeutic eValuation of Angiogenic Vessels in Cancer by Synchrotron Microangiography"
E. Tanaka, T. Sekka, A. Tanaka, M. Hasegawa, Y. Tanaka, Y. Ohtani, K. Hyodo, M. Ando, K. Umetani, H. Mori
Journal of Synchrotron Radiation, **7**, (2000), 361–367
- [3] "放射光微小血管造影法による新生血管の評価"
E. Tanaka, H. Mori, H. Kasahara, E. Sato, T. Sekka, Y. Shinozaki, T. Kawai, K. Hyodo, M. Ando
Medical Imaging Technology, **18**, (2000), 445–446
- [4] "新しい冠動脈硬化診断法"
E. Tanaka, Y. Nakajima, A. Tanaka, W. Kobayashi, E. Sato, K. Ban, N. Hattan, H. Mori
呼吸と循環 (Respiratory and Circulation), **48**, (2000), 1041–1047
- [5] "放射光による造影法と臨床応用"
E. Tanaka, Y. Nakajima, K. Ban, N. Hattan, H. Kasahara, E. Sato, T. Akira, Y. Shinozaki, H. Mori
循環器科 (Cardioangiology), **48**, (2000), 1041–1047

[2001]

- [6] "A New Optics for Dark-Field Imaging in X-Ray Region 'Owl'"
M. Ando, H. Sugiyama, A. Maksimenko, W. Pattanasiriwisa, K. Hyodo, Z. Xiaowei
Japanese Journal of Applied Physics, **40**, (2001), L844–L846
- [7] "Construction of Topography Stations at SPring-8 and First Observations"
Y. Chikaura, S. Iida, S. Kawado, K. Mizuno, S. Kimura, J. Matsui, M. Umeno, T. Ozaki, T. Shimura, Y. Suzuki, K. Izumi, K. Kawasaki, K. Kajiwara, T. Ishikawa
Journal of Physics D: Applied Physics, **34**, (2001), A158–A162
- [8] "High Spatial Resolution Hard X-Ray Microscope Using X-Ray Refractive Lens and Phase Contrast Imaging Experiments"
Y. Kohmura, K. Okada, A. Takeuchi, H. Takano, Y. Suzuki, T. Ishikawa, T. Ohigashi, H. Yokosuka
Nuclear Instruments and Methods in Physics Research Section A, **467–468**, (2001), 881–883
- [9] "Refraction Imaging and Histologic Correlation in Excised Tissue from a Normal Human Lung"
M. Kono, C. Ohbayashi, K. Yamasaki, Y. Ohno, S. Adachi, K. Sugimura, Y. Suzuki
Academic Radiology, **8**, (2001), 898–902
- [10] "Development of Phase Contract Radiography for Bone Imaging Using Synchrotron Radiation"
K. Mori, H. Sato, N. Sekine, N. Shikano, M. Sato, D. Shimao, T. Igarashi, H. Shiwaku, K. Hyodo
Analytical Sciences, **17 Supplement**, (2001), i1427–i1430
- [11] "Possible Application of Plasma X-ray Source to Clinical Radiography"
E. Tanaka, Y. Nakajima, E. Sato, T. Kawai, W. Kobayashi, Y. Shinozaki, K. Hyodo, M. Ando, H. Mori
Proceedings of SPIE, **4183**, (2001), 365–372
- [12] "遺伝子を用いた血管の再生と放射光微小血管造影"
E. Tanaka, M. Kanda, Y. Sugio, N. Tokunaga, J. Pearson, K. Nishigami, H. Mori
BME (日本ME学会雑誌, Bio Medical Engineering), **15**, (2001), 26–31
- [13] "シンクロトロン放射光微小血管造影法による冠血管分岐様式の定量的解析と再生血管の機能評価"
E. Tanaka, N. Tokunaga, M. Kanda, N. Nishiura, H. Mori, H. Kasahara
血栓と循環 (Thrombosis and Circulation), **9**, (2001), 447–452
- [14] "Synchrotron Radiation Microangiography System for Observation of Blood Flow in Murine Tumor Vasculature"
K. Umetani, S. Itasaka, M. Ogura, H. Kimura, M. Hiraoka
Bioimages, **9**, (2001), 97–106
- [15] "Synchrotron Radiation Microangiography for Real-Time Observation of Angiogenic Vessels in Cancer"
K. Umetani, T. Yamashita, N. Maehara, S. Imai, Y. Kajihara
Analytical Sciences, **17 Supplement**, (2001), i531–i534

- [16] "Biomedical Imaging Center in SPring-8"
 C. Uyama, K. Tokumori, F. Toyofuku, T. Takeda, K. Hyodo, H. Sugiyama, T. Kato
Nuclear Instruments and Methods in Physics Research Section A, **467–468**, (2001), 1338–1341
- [17] "Experimental Studies of the Microangioarchitecture of Tumors Using Synchrotron Radiation at SPring-8"
 T. Yamashita, S. Imai, N. Maehara, Y. Kajihara, K. Umetani
Nuclear Instruments and Methods in Physics Research Section A, **467–468**, (2001), 1346–1348
- [18] "Role of Endogenous Nitric Oxide Generation in the Regulation of Vascular Tone and Reactivity in Small Vessels as Investigated in Transgenic Mice Using Synchrotron Radiation Microangiography"
 T. Yamashita, S. Kawashima, M. Ozaki, M. Namiki, S. Satomi-Kobayashi, T. Seno, Y. Matsuda, N. Inoue, K. Hirata, H. Akita, K. Umetani, E. Tanaka, H. Mori, M. Yokoyama
Nitric Oxide: Biology and Chemistry, **5**, (2001), 494–503
- [19] "Evaluation of the Microangioarchitecture of Tumors by Use of Monochromatic X-Rays"
 T. Yamashita
Investigative Radiology, **36**, (2001), 713–720
- [20] "Construction and Commissioning of a 215-m-Long Beamline at SPring-8"
 S. Goto, K. Takeshita, Y. Suzuki, H. Ohashi, Y. Asano, H. Kimura, T. Matsushita, N. Yagi, M. Isshiki, H. Yamazaki, Y. Yoneda, K. Umetani, T. Ishikawa
Nuclear Instruments and Methods in Physics Research Section A, **467–468**, (2001), 682–685
- [21] "Characterization of the Sputtered-Sliced Zone Plate for High Energy X-Rays"
 N. Kamijo, Y. Suzuki, M. Awaji, A. Takeuchi, K. Uesugi, M. Yasumoto, S. Tamura, Y. Kohmura, A. Duevel, D. Rudolph, G. Schmahl
Nuclear Instruments and Methods in Physics Research Section A, **467–468**, (2001), 868–871
- [2002]
- [22] "X-Ray Optics 'Owl' and 'Trinity'"
 M. Ando, K. Hyodo, H. Sugiyama, A. Maksimenko, W. Pattanasiriwisa, K. Mori, J. Roberson, E. Rubenstein, Y. Tanaka, J. Chen, D. Xian, X. Zhang
Japanese Journal of Applied Physics, **41**, (2002), 4742–4749
- [23] "Possible Detection of Bony Trabeculae, Vascular Channels in Auditory Ossicles and Breast Cancer by Means of X-Ray Dark Field Imaging"
 M. Ando, J. Roberson, E. Rubenstein, W. Pattanasiriwisa, A. Maksimenko, H. Sugiyama, K. Hyodo, C. Uyama
Proceedings of Joint Symposium on Bio-Sensing and Bio-Imaging 2001, , (2002), 95–100
- [24] "Simple X-Ray Dark-and Bright-Field Imaging Using Achromatic Laue Optics"
 M. Ando, A. Maksimenko, H. Sugiyama, W. Pattanasiriwisa, K. Hyodo, C. Uyama
Japanese Journal of Applied Physics, **41**, (2002), L1016–L1018
- [25] "Refraction-Enhanced X-Ray Imaging of 10 m Distance Using Synchrotron Radiation Source"
 M. Hirano, K. Yamasaki, H. Nagai, T. Katafuchi, J. Matsui, Y. Kagoshima, Y. Tsusaka, K. Fukushima, Y. Kohmura, S. Tamura, K. Sugimura
Proceedings of Joint Symposium on Bio-Sensing and Bio-Imaging 2001, , (2002), 128–129
- [26] "Defects of a Mammography Quality Control Phantom Visualized by Synchrotron Radiation Imaging"
 K. Imamura, M. Fukuda, N. Ehara, K. Miyamoto, Y. Kanemaki, K. Umetani, H. Ogata, Y. Nakajima
医学物理 (Japanese Journal of Medical Physics), **22**, (2002), 48–53
- [27] "Synchrotron-Radiation X-Ray Topography Surface Strain in Large-Diameter Silicon Wafers"
 S. Kawado, S. Iida, S. Yamaguchi, S. Kimura, Y. Hirose, K. Kajiwara, Y. Chikaura, M. Umeno
Journal of Synchrotron Radiation, **9**, (2002), 166–168
- [28] "Application of Synchrotron X-Ray Imaging to Phase Objects in Orthopedics"
 K. Mori, N. Sekine, H. Sato, D. Shimao, H. Shiwaku, K. Hyodo, H. Sugiyama, M. Ando, K. Ohashi, M. Koyama, Y. Nakajima
Journal of Synchrotron Radiation, **9**, (2002), 143–147
- [29] "First Observation of a Wooden Foreign Body in Soft Palate by Means of Synchrotron X-Ray Refraction Contrast"
 K. Mori, N. Sekine, H. Sato, N. Shikano, D. Shimao, H. Shiwaku, K. Hyodo, K. Ohashi
Japanese Journal of Applied Physics, **41**, (2002), 5490–5491
- [30] "Visualization of Biomedical Specimens by X-Ray Dark Field Imaging"
 W. Pattanasiriwisa, H. Sugiyama, K. Hyodo, A. Maksimenko, S. Muratsu, M. Ando
Proceedings of Joint Symposium on Bio-Sensing and Bio-Imaging 2001, , (2002), 105–110
- [31] "X-Ray Refraction-Enhanced Imaging and a Method for Phase Retrieval for a Simple Object"
 Y. Suzuki, N. Yagi, K. Uesugi
Journal of Synchrotron Radiation, **9**, (2002), 160–165

- [32] "Dynamic Changes in Three-Dimensional Architecture and Vascular Volume of Transmural Coronary Microvasculature between Diastolic- and Systolic-Arrested Rat Hearts"
 E. Toyota, K. Fujimoto, Y. Ogasawara, T. Kajita, F. Shigeto, T. Matsumoto, M. Goto, F. Kajiya
Circulation, **105**, (2002), 621-626
- [33] "Synchrotron Radiation Microangiography Using X-Ray SATICON for Observation of Tumor"
 K. Umetani, T. Yamashita, N. Maehara, S. Imai
映像情報メディア学会誌 (The Journal of the Institute of Image Information and Television Engineers), **56**, (2002), 492-494
- [34] "X-Ray SATICON Based Direct-Sensing Detector for Small-Field Angiographic Imaging"
 K. Umetani, T. Yamashita, N. Maehara, S. Imai, Y. Kajihara
Proceedings of Joint Symposium on Bio-Sensing and Bio-Imaging 2001, , (2002), 101-104
- [35] "Mouse Coronary Angiograph Using Synchrotron Radiation Microangiography"
 T. Yamashita, S. Kawashima, M. Ozaki, M. Namiki, T. Hirase, N. Inoue, K. Hirata, K. Umetani, K. Sugimura, M. Yokoyama
Circulation, **105**, (2002), e3-e4
- [36] "Plane-Wave X-Ray Topography and Its Application at SPring-8"
 S. Iida, Y. Chikaura, S. Kawado, S. Kimura
Journal of Synchrotron Radiation, **9**, (2002), 169-173
- [37] "Sensitive Detection of Voids in Solid Materials by Refraction-Enhanced Synchrotron Radiation Imaging"
 K. Imamura, N. Ehara, K. Umetani, K. Miyamoto, Y. Kanemaki, K. Uesugi, Y. Inada, H. Ogata, Y. Nakajima, M. Fukuda
Applied Physics Letters, **81**, (2002), 2559-2560
- [38] "In Vivo Angiographic Detection of Vascular Lesions in Apolipoprotein E-Knockout Mice Using a Synchrotron Radiation Microangiography System"
 T. Yamashita, S. Kawashima, M. Ozaki, M. Namiki, M. Shinohara, N. Inoue, K. Hirata, K. Umetani, M. Yokoyama
Circulation Journal, **66**, (2002), 1057-1059
- [2003]
- [39] "A Simple X Ray Dark- and Bright- Field Imaging Using Achromatic Laue Optics"
 M. Ando
The RIGAKU Journal , **20**, (2003), 21-24
- [40] "Large-Area X-Ray Topographs of Lattice Undulation of Bonded Silicon-On-Insulator Wafers"
 K. Fukuda, T. Yoshida, T. Shimura, K. Yasutake, M. Umeno
Japanese Journal of Applied Physics, **42**, (2003), L117-L119
- [41] "Bone Structure and Mineralization Demonstrated using Synchrotron Radiation Computed Tomography (SR-CT) in Animal Models:Preliminary Findings"
 M. Ito, S. Ejiri, H. Jinnai, J. Kono, S. Ikeda, A. Nishida, K. Uesugi, N. Yagi, K. Hayashi
Journal of Bone Mineral Metabolism, **21**, (2003), 287-293
- [42] "Development of Spectro-Scattering Topography by Using High-Energy Synchrotron Radiation and Its Application to Materials Evaluation "
 K. Kajiwara
Doctor Thesis (Kyushu Institute of Technology), , (2003),
- [43] "X-Ray Characterization of Crystal Perfection and Surface Contamination in Large-Diameter Silicon Wafers"
 S. Kawado
Materials Science in Semiconductor Processing, **5**, (2003), 435-444
- [44] "Recent Development of Numerical Modeling of Casting and Solidification"
 I. Ohnaka
Proceeding of the Modeling of Casting, Welding and Advanced Solidification Processes X, , (2003), 403
- [45] "Electron Density Measurement with Dual-Energy X-ray CT using Synchrotron Radiation"
 M. Torikoshi, T. Tsunoo, M. Sasaki, M. Endo, Y. Noda, Y. Ohno, T. Kohno, K. Hyodo, K. Uesugi, N. Yagi
Physics in Medicine and Biology, **48**, (2003), 673-685
- [46] "Non-Destructive Three-Dimensional Analysis of MUSES-C Samples by Micro X-ray CT Method using Synchrotron Radiation."
 A. Tsuchiyama, T. Nakano, K. Uesugi
The Institute of Space and Astronautical Science Report SP, , (2003), 135-157

- [47] "Distribution of Electron Density Using Dual-Energy X-ray CT"
 T. Tsunoo, M. Torikoshi, M. Sasaki, M. Endo, N. Yagi, K. Uesugi
IEEE Transactions on Nuclear Science, **50**, (2003), 1678–1682
- [48] "Synchrotron Radiation Microimaging for Observation of Tumor-Derived Small Blood Vessels"
 K. Umetani
映像情報メディア学会誌 (The Journal of the Institute of Image Information and Television Engineers),
57, (2003), 1690–1696
- [49] "Ultra-Small-Angle X-ray Diffraction and Scattering Experiments Using Medium-Length Beamlines at SPring-8"
 N. Yagi, K. Inoue
Journal of Applied Crystallography, **36**, (2003), 783–786
- [50] "Hard X-Ray Microscopy Activities at SPring-8"
 Y. Suzuki, M. Awaji, A. Takeuchi, H. Takano, K. Uesugi, Y. Kohmura, N. Kamijo, M. Yasumoto, S. Tamura
Journal de Physique IV France, **104**, (2003), 35–40
 [2004]
- [51] "In Vitro Evaluation of Normal and Abnormal Lungs With Ultra-High-Resolution CT"
 H. Ikura
Journal of Thoracic Imaging, **19**, (2004), 8–15
- [52] "In vivo Real-Time Microangiography of the Liver in Mice using Synchrotron Radiation"
 S. Kobayashi, M. Hori, K. Dono, H. Nagano, K. Umeshita, S. Nakamori, M. Sakon, K. Osuga, K. Umetani, T. Murakami, H. Nakamura, M. Monden
Journal of Hepatology, **40**, (2004), 405–408
- [53] "Pattern Differences between Distributions of Microregional Myocardial Flows in Crystalloid- and Blood-Perfused Rat Hearts"
 T. Matsumoto, H. Tachibana, T. Asano, M. Takemoto, Y. Ogasawara, K. Umetani, F. Kajiyama
American Journal of Physiology : Heart and Circulatory Physiology, **286**, (2004), H1331–H1338
- [54] "Development of a Portable Free-Air Ionization Chamber as an Absolute Intensity Monitor for High-Energy Synchrotron Radiation up to 150 keV"
 N. Nariyama, N. Kishi, S. Ohnishi
Nuclear Instruments and Methods in Physics Research Section A, **524**, (2004), 324–331
- [55] "Quantitative Diffraction-Enhanced X-ray Imaging of Weak Objects"
 Y. Nesterets, T. Gureyev, D. Paganin, K. Pavlov, S. Wilkins
Journal of Physics D: Applied Physics, **37**, (2004), 1262–1274
- [56] "Phase Retrieval using Coherent Imaging Systems with Linear Transfer Functions"
 D. Paganin, T. Gureyev, K. Pavlov, R. Lewis, M. Kitchen
Optics Communications, **234**, (2004), 87–105
- [57] "Characterization of SOI wafers by synchrotron X-ray topography"
 T. Shimura, K. Fukuda, Y. Kiyoshi, M. Umeno
The European Physical Journal – Applied Physics, , (2004),
- [58] "Experimental Reproduction of Classic Barred Olivine Chondrules: Open-System Behavior of Chondrule Formation."
 A. Tsuchiyama, Y. Osada, T. Nakano, K. Uesugi
Geochimica et Cosmochimica Acta, **68**, (2004), 653–672
- [59] "Synchrotron Radiation Microangiography for Observation of Vasodilatation using X-ray SATICON"
 K. Umetani, K. Fukushima, K. Sugimura
映像情報メディア学会誌 (The Journal of the Institute of Image Information and Television Engineers),
58, (2004), 344–351
- [60] "A Large-Area CMOS Imager as an X-ray Detector for Synchrotron Radiation Experiments"
 N. Yagi, M. Yamamoto, K. Uesugi, K. Inoue
Journal of Synchrotron Radiation, **11**, (2004),
- [61] "Direct Observation of Stray Crystal Formation in Unidirectional Solidification of Sn-Bi Alloy by X-Ray Imaging"
 H. Yasuda, I. Ohnaka, K. Kawasaki, A. Sugiyama, T. Ohmichi, J. Iwane, K. Umetani
Journal of Crystal Growth, **262**, (2004), 645–652