

- [14] "Ultra-Small-Angle X-ray Diffraction and Scattering Experiments Using Medium-Length Beamlines at SPring-8"  
N. Yagi, K. Inoue  
Journal of Applied Crystallography, **36**, (2003), 783-786  
[2004]
- [15] "Phase Retrieval with Two-Beam Off-Axis X-ray Holography"  
Y. Kohmura, T. Sakurai, T. Ishikawa, Y. Suzuki  
Journal of Applied Physics, **96**, (2004), 1781-1784
- [16] "Measurement of X-ray Coherence using Two-beam Interferometer with Prism Optics"  
Y. Suzuki,  
Review of Scientific Instruments, **75**, (2004), 1026-1029
- [17] "Novel Application of Sputtered-Sliced Concentric Multilayers to Various Optical Elements for Synchrotron Radiation High-Brilliance X-ray Beamlines at SPring-8"  
S. Tamura, M. Yasumoto, N. Kamijo, Y. Suzuki, M. Awaji, A. Takeuchi, H. Takano, K. Uesugi  
Vacuum, **74**, (2004), 741-746
- [18] "CCD-based X-ray Area Detector for Time-resolved Diffraction Experiments"  
N. Yagi, K. Inoue, T. Oka  
Journal of Synchrotron Radiation, **11**, (2004), 456-461  
[2005]
- [19] "Three-Dimensional Observation of Polymer Blend by X-ray Phase Tomography"  
A. Momose, A. Fujii, H. Kadowaki, H. Jinnai  
Macromolecules, **38**, (2005), 7197-7200
- [20] "Performance Test of Fresnel Zone Plate with 50 nm Outermost Zone Width in Hard X-ray Region"  
Y. Suzuki, A. Takeuchi, H. Takano, H. Takenaka  
Japanese Journal of Applied Physics, **44**, (2005), 1994-1998
- [21] "Hard X-ray Holographic Microscopy using Refractive Prism and Fresnel Zone Plate Objective"  
Y. Suzuki, A. Takeuchi  
Review of Scientific Instruments, **76**, (2005), 093702
- [22] "Two-Beam X-Ray Holography Using Prism Optics "  
A. Takeuchi, S. Yoshio  
Japanese Journal of Applied Physics, **44**, (2005), 3293-3298
- [23] "Synchrotron Radiation, X-ray Imaging, holography, Particle Image Velocimetry"  
T. Uemura, S. Murata, S. Nishio, Y. Yamamoto, M. Iguchi, K. Uesugi  
可視化情報学会誌 (Journal of the Visualization Society of Japan), **25**, (2005), 203-206
- [24] "PIV Imaging for Multiphase Flow Measurement Utilizing Synchrotron Radiation X-ray"  
T. Uemura, S. Murata, Y. Yamamoto, S. Nishio, K. Uesugi  
可視化情報学会誌 (Journal of the Visualization Society of Japan), **25**, (2005), 205-208  
[2006]
- [25] "X-ray Talbot Interferometry with Capillary Plates"  
A. Momose, S. Kawamoto  
Japanese Journal of Applied Physics, **45**, (2006), 314-316

BL20B2

**Refereed Journals**

[2000]

- [1] "Comparative Study between Heart and Kidney Microcirculations Microvisualization Approach"  
F. Kajiya  
Materials Science and Engineering: C, **13**, (2000), 3-6
- [2] "X-Ray Imaging Microscopy Using a Micro Capillary X-Ray Refractive Lens"  
Y. Kohmura, K. Okada, M. Awaji, Y. Suzuki, T. Ishikawa, Yu I. Dudchik, N. N. Kolchevsky, F. F. Komarov  
X-Ray Microscopy: Proceedings of the Sixth International Conference (AIP Conference Proceedings 507), **CP507**, (2000), 566-570
- [3] "A New Trend for Visualizing Coronary Atherosclerosis"  
Y. Nakajima, E. Tanaka, A. Tanaka, W. Kobayashi, E. Sato, K. Ban, N. Hattan, H. Mori  
呼吸と循環 (Respiration and Circulation), **48**, (2000), 1041-1047
- [4] "放射光による造影法と臨床応用"  
Y. Nakajima, E. Tanaka, K. Ban, N. Hattan, H. Kasahara, E. Sato, A. Tanaka, Y. Shinozaki, H. Mori  
循環器科 (Cardioangiology), **48**, (2000), 374-382

- [2001]
- [5] "A New Optics for Dark-Field Imaging in X-Ray Region 'Owl'"  
M. Ando, H. Sugiyama, A. Maksimenko, W. Pattanasiriwisawa, K. Hyodo, Z. Xiaowei  
Japanese Journal of Applied Physics, **40**, (2001), L844-L846
- [6] "Construction of Topography Stations at SPring-8 and First Observations"  
Y. Chikaura, S. Iida, S. Kawado, K. Mizuno, S. Kimura, J. Matsui, M. Umeno, T. Ozaki, T. Shimura, Y. Suzuki, K. Izumi, K. Kawasaki, K. Kajiwara, T. Ishikawa  
Journal of Physics D: Applied Physics, **34**, (2001), A158-A162
- [7] "Construction and Commissioning of a 215-m-Long Beamline at SPring-8"  
S. Goto, K. Takeshita, Y. Suzuki, H. Ohashi, Y. Asano, H. Kimura, T. Matsushita, N. Yagi, M. Isshiki, H. Yamazaki, Y. Yoneda, K. Umetani, T. Ishikawa  
Nuclear Instruments and Methods in Physics Research Section A, **467-468**, (2001), 682-685
- [8] "Characterization of the Sputtered-Sliced Zone Plate for High Energy X-Rays"  
N. Kamijo, Y. Suzuki, M. Awaji, A. Takeuchi, K. Uesugi, M. Yasumoto, S. Tamura, Y. Kohmura, A. Duevel, D. Rudolph, G. Schmahl  
Nuclear Instruments and Methods in Physics Research Section A, **467-468**, (2001), 868-871
- [9] "High Spatial Resolution Hard X-Ray Microscope Using X-Ray Refractive Lens and Phase Contrast Imaging Experiments"  
Y. Kohmura, K. Okada, A. Takeuchi, H. Takano, Y. Suzuki, T. Ishikawa, T. Ohigashi, H. Yokosuka  
Nuclear Instruments and Methods in Physics Research Section A, **467-468**, (2001), 881-883
- [10] "Refraction Imaging and Histologic Correlation in Excised Tissue from a Normal Human Lung"  
M. Kono, C. Ohbayashi, K. Yamasaki, Y. Ohno, S. Adachi, K. Sugimura, Y. Suzuki  
Academic Radiology, **8**, (2001), 898-902
- [11] "Development of Phase Contrast Radiography for Bone Imaging Using Synchrotron Radiation"  
K. Mori, H. Sato, N. Sekine, N. Shikano, M. Sato, D. Shimao, T. Igarashi, H. Shiwaku, K. Hyodo  
Analytical Sciences, **17.Supplement**, (2001), i1427-i1430
- [12] "Possible Application of Plasma X-ray Source to Clinical Radiography"  
Y. Nakajima, E. Tanaka, E. Sato, T. Kawai, W. Kobayashi, Y. Shinozaki, K. Hyodo, M. Ando, K. Tanioka, Y. Yamamoto, M. Fujii, Y. Kan, H. Mori  
Proceedings of SPIE, **4183**, (2001), 365-372
- [13] "Synchrotron Radiation Microangiography System for Observation of Blood Flow in Murine Tumor Vasculature"  
K. Umetani, S. Itasaka, M. Ogura, H. Kimura, M. Hiraoka  
Bioimages, **9**, (2001), 97-106
- [14] "Synchrotron Radiation Microangiography for Real-Time Observation of Angiogenic Vessels in Cancer"  
K. Umetani, T. Yamashita, N. Maehara, S. Imai, Y. Kajihara  
Analytical Sciences, **17.Supplement**, (2001), i531-i534
- [15] "Biomedical Imaging Center in SPring-8"  
C. Uyama, K. Tokumori, F. Toyofuku, T. Takeda, K. Hyodo, H. Sugiyama, T. Kato  
Nuclear Instruments and Methods in Physics Research Section A, **467-468**, (2001), 1338-1341
- [16] "Experimental Studies of the Microangiarchitecture of Tumors Using Synchrotron Radiation at SPring-8"  
T. Yamashita, S. Imai, N. Maehara, Y. Kajihara, K. Umetani  
Nuclear Instruments and Methods in Physics Research Section A, **467-468**, (2001), 1346-1348
- [17] "Role of Endogenous Nitric Oxide Generation in the Regulation of Vascular Tone and Reactivity in Small Vessels as Investigated in Transgenic Mice Using Synchrotron Radiation Microangiography"  
T. Yamashita, S. Kawashima, M. Ozaki, M. Namiki, S. Satomi-Kobayashi, T. Seno, Y. Matsuda, N. Inoue, K. Hirata, H. Akita, K. Umetani, E. Tanaka, H. Mori, M. Yokoyama  
Nitric Oxide: Biology and Chemistry, **5**, (2001), 494-503
- [18] "Evaluation of the Microangiarchitecture of Tumors by Use of Monochromatic X-Rays"  
T. Yamashita  
Investigative Radiology, **36**, (2001), 713-720
- [2002]
- [19] "X-Ray Optics 'Owl' and 'Trinity'"  
M. Ando, K. Hyodo, H. Sugiyama, A. Maksimenko, W. Pattanasiriwisawa, K. Mori, J. Roberson, E. Rubenstein, Y. Tanaka, J. Chen, D. Xian, X. Zhang  
Japanese Journal of Applied Physics, **41**, (2002), 4742-4749

- [20] "Possible Detection of Bony Trabeculae, Vascular Channels in Auditory Ossicles and Breast Cancer by Means of X-Ray Dark Field Imaging"  
M. Ando, J. Roberson, E. Rubenstein, W. Pattanasiriwisawa, A. Maksimenko, H. Sugiyama, K. Hyodo, C. Uyama  
Proceedings of Joint Symposium on Bio-Sensing and Bio-Imaging 2001, , (2002), 95-100
- [21] "Simple X-Ray Dark-and Bright-Field Imaging Using Achromatic Laue Optics"  
M. Ando, A. Maksimenko, H. Sugiyama, W. Pattanasiriwisawa, K. Hyodo, C. Uyama  
Japanese Journal of Applied Physics, **41**, (2002), L1016-L1018
- [22] "Refraction-Enhanced X-Ray Imaging of 10 m Distance Using Synchrotron Radiation Source"  
M. Hirano, K. Yamasaki, H. Nagai, T. Katafuchi, J. Matsui, Y. Kagoshima, Y. Tsusaka, K. Fukushima, Y. Kohmura, S. Tamura, K. Sugimura  
Proceedings of Joint Symposium on Bio-Sensing and Bio-Imaging 2001, , (2002), 128-129
- [23] "Plane-Wave X-Ray Topography and Its Application at SPring-8"  
S. Iida, Y. Chikaura, S. Kawado, S. Kimura  
Journal of Synchrotron Radiation, **9**, (2002), 169-173
- [24] "Defects of a Mammography Quality Control Phantom Visualized by Synchrotron Radiation Imaging"  
K. Imamura, M. Fukuda, N. Ehara, K. Miyamoto, Y. Kanemaki, K. Umetani, H. Ogata, Y. Nakajima  
医学物理 (Japanese Journal of Medical Physics), **22**, (2002), 48-53
- [25] "Sensitive Detection of Voids in Solid Materials by Refraction-Enhanced Synchrotron Radiation Imaging"  
K. Imamura, N. Ehara, K. Umetani, K. Miyamoto, Y. Kanemaki, K. Uesugi, Y. Inada, H. Ogata, Y. Nakajima, M. Fukuda  
Applied Physics Letters, **81**, (2002), 2559-2560
- [26] "Synchrotron-Radiation X-Ray Topography Surface Strain in Large-Diameter Silicon Wafers"  
S. Kawado, S. Iida, S. Yamaguchi, S. Kimura, Y. Hirose, K. Kajiwara, Y. Chikaura, M. Umeno  
Journal of Synchrotron Radiation, **9**, (2002), 166-168
- [27] "Application of Synchrotron X-Ray Imaging to Phase Objects in Orthopedics"  
K. Mori, N. Sekine, H. Sato, D. Shimao, H. Shiwaku, K. Hyodo, H. Sugiyama, M. Ando, K. Ohashi, M. Koyama, Y. Nakajima  
Journal of Synchrotron Radiation, **9**, (2002), 143-147
- [28] "First Observation of a Wooden Foreign Body in Soft Palate by Means of Synchrotron X-Ray Refraction Contrast"  
K. Mori, N. Sekine, H. Sato, N. Shikano, D. Shimao, H. Shiwaku, K. Hyodo, K. Ohashi  
Japanese Journal of Applied Physics, **41**, (2002), 5490-5491
- [29] "X-Ray Refraction-Enhanced Imaging and a Method for Phase Retrieval for a Simple Object"  
Y. Suzuki, N. Yagi, K. Uesugi  
Journal of Synchrotron Radiation, **9**, (2002), 160-165
- [30] "Dynamic Changes in Three-Dimensional Architecture and Vascular Volume of Transmural Coronary Microvasculature between Diastolic- and Systolic-Arrested Rat Hearts"  
E. Toyota, K. Fujimoto, Y. Ogasawara, T. Kajita, F. Shigeto, T. Matsumoto, M. Goto, F. Kajiya  
Circulation, **105**, (2002), 621-626
- [31] "Synchrotron Radiation Microangiography Using X-Ray SATICON for Observation of Tumor"  
K. Umetani, T. Yamashita, N. Maehara, S. Imai  
映像情報メディア学会誌 (The Journal of the Institute of Image Information and Television Engineers), **56**, (2002), 492-494
- [32] "X-Ray SATICON Based Direct-Sensing Detector for Small-Field Angiographic Imaging"  
K. Umetani, T. Yamashita, N. Maehara, S. Imai, Y. Kajihara  
Proceedings of Joint Symposium on Bio-Sensing and Bio-Imaging 2001, , (2002), 101-104
- [33] "Mouse Coronary Angiograph Using Synchrotron Radiation Microangiography"  
T. Yamashita, S. Kawashima, M. Ozaki, M. Namiki, T. Hirase, N. Inoue, K. Hirata, K. Umetani, K. Sugimura, M. Yokoyama  
Circulation, **105**, (2002), e3-e4
- [34] "In Vivo Angiographic Detection of Vascular Lesions in Apolipoprotein E-Knockout Mice Using a Synchrotron Radiation Microangiography System"  
T. Yamashita, S. Kawashima, M. Ozaki, M. Namiki, M. Shinohara, N. Inoue, K. Hirata, K. Umetani, M. Yokoyama  
Circulation Journal, **66**, (2002), 1057-1059

- [2003]
- [35] "Large-Area X-Ray Topographs of Lattice Undulation of Bonded Silicon-On-Insulator Wafers"  
K. Fukuda, T. Yoshida, T. Shimura, K. Yasutake, M. Umeno  
Japanese Journal of Applied Physics, **42**, (2003), L117-L119
- [36] "Bone Structure and Mineralization Demonstrated using Synchrotron Radiation Computed Tomography (SR-CT) in Animal Models: Preliminary Findings"  
M. Ito, S. Ejiri, H. Jinnai, J. Kono, S. Ikeda, A. Nishida, K. Uesugi, N. Yagi, K. Hayashi  
Journal of Bone and Mineral Metabolism, **21**, (2003), 287-293
- [37] "X-Ray Characterization of Crystal Perfection and Surface Contamination in Large-Diameter Silicon Wafers"  
S. Kawado  
Materials Science in Semiconductor Processing, **5**, (2003), 435-444
- [38] "Kidney Glomerulus Observation in Interactive VR Space"  
O. Oshiro, K. Kamada, M. Imura, K. Chihara, E. Toyota, Y. Ogasawara, F. Kajiya  
International Journal of Image and Graphics, **3**, (2003), 629-637
- [39] "VEGF-Mediated Angiogenesis is Impaired by Angiotensin Type 1 Receptor Blockade in Cardiomyopathic Hamster Hearts"  
T. Shimizu, Y. Matsui, T. Sugawara, M. Akino, H. Kumamoto, H. Okamoto, S. Chiba, J. Nan, H. Onozuka, T. Mikami, A. Kitabatake  
Cardiovascular Research, **58**, (2003), 203-212
- [40] "Altered Microvasculature is Involved in Remodeling Processes of Cardiomyopathic Hamsters"  
T. Shimizu, H. Kumamoto, Y. Matsui, T. Sugawara, H. Okamoto, M. Watanabe, S. Chiba, H. Onozuka, T. Mikami, A. Kitabatake  
Japanese Heart Journal, **44**, (2003), 111-126
- [41] "Hard X-Ray Microscopy Activities at SPring-8"  
Y. Suzuki, M. Awaji, A. Takeuchi, H. Takano, K. Uesugi, Y. Kohmura, N. Kamijo, M. Yasumoto, S. Tamura  
Journal de Physique IV France, **104**, (2003), 35-40
- [42] "Electron Density Measurement with Dual-Energy X-ray CT using Synchrotron Radiation"  
M. Torikoshi, T. Tsunoo, M. Sasaki, M. Endo, Y. Noda, Y. Ohno, T. Kohno, K. Hyodo, K. Uesugi, N. Yagi  
Physics in Medicine and Biology, **48**, (2003), 673-685
- [43] "Non-Destructive Three-Dimensional Analysis of MUSES-C Samples by Micro X-ray CT Method using Synchrotron Radiation"  
A. Tsuchiyama, T. Nakano, K. Uesugi  
The Institute of Space and Astronautical Science Report SP, , (2003), 135-157
- [44] "Distribution of Electron Density Using Dual-Energy X-ray CT"  
T. Tsunoo, M. Torikoshi, M. Sasaki, M. Endo, N. Yagi, K. Uesugi  
IEEE Transactions on Nuclear Science, **50**, (2003), 1678-1682
- [45] "Synchrotron Radiation Microimaging for Observation of Tumor-Derived Small Blood Vessels"  
K. Umetani  
映像情報メディア学会誌 (The Journal of the Institute of Image Information and Television Engineers), **57**, (2003), 1690-1696
- [46] "Ultra-Small-Angle X-ray Diffraction and Scattering Experiments Using Medium-Length Beamlines at SPring-8"  
N. Yagi, K. Inoue  
Journal of Applied Crystallography, **36**, (2003), 783-786
- [2004]
- [47] "Construction of X-ray Dark-Field Imaging with a View Size of 80 mm Square and First Visualization of Human Articular Cartilage at Femoral Head under a Nearly Clinical Condition"  
M. Ando, H. Sugiyama, T. Kunisada, D. Shimao, K. Takeda, H. Hashizume, H. Inoue  
Japanese Journal of Applied Physics, **43**, (2004), L1175-L1177
- [48] "Development of X-ray Dark-Field Imaging towards Clinical Application"  
M. Ando, E. Hashimoto, H. Hashizume, K. Hyodo, H. Inoue, T. Ishikawa, T. Kunisada, A. Maksimenko, W. Pattanasiriwisawa, E. Rubenstein, J. Roberson, D. Shimao, H. Sugiyama, K. Takeda, E. Ueno, H. Wada  
Nuclear Science and Techniques, **15**, (2004), 129-139

- [49] "Nondestructive Three-Dimensional Element-Concentration Mapping of a Cs-doped Partially Molten Granite by X-ray Computed Tomography using Synchrotron Radiation"  
S. Ikeda, T. Nakano, A. Tsuchiyama, K. Uesugi, Y. Suzuki, K. Nakamura, Y. Nakashima, H. Yoshida  
*American Mineralogist*, **89**, (2004), 1304-1313
- [50] "On the Origin of Speckle in X-ray Phase Contrast Images of Lung Tissue"  
Marcus J. Kitchen, D. Paganin, Rob A. Lewis, N. Yagi, K. Uesugi, Stephen T. Mudie  
*Physics in Medicine and Biology*, **49**, (2004), 4335-4348
- [51] "In vivo Real-Time Microangiography of the Liver in Mice using Synchrotron Radiation"  
S. Kobayashi, M. Hori, K. Dono, H. Nagano, K. Umeshita, S. Nakamori, M. Sakon, K. Osuga, K. Umetani, T. Murakami, H. Nakamura, M. Monden  
*Journal of Hepatology*, **40**, (2004), 405-408
- [52] "Pattern Differences between Distributions of Microregional Myocardial Flows in Crystalloid- and Blood-Perfused Rat Hearts"  
T. Matsumoto, H. Tachibana, T. Asano, M. Takemoto, Y. Ogasawara, K. Umetani, F. Kajiya  
*American Journal of Physiology : Heart and Circulatory Physiology*, **286**, (2004), H1331-H1338
- [53] "Direct Observation of Hydride Formed in Pure Titanium by Refraction-Enhanced X-ray Imaging Method"  
K. Mizuno, H. Okamoto, K. Kajiwarra, M. Kuga, Y. Furuya, K. Kawasaki  
*Transactions of the Materials Research Society of Japan*, **29**, (2004), 3337-3340
- [54] "Ultrahigh-Quality Silicon Carbide Single Crystals"  
D. Nakamura, I. Gunjishima, S. Yamaguchi, T. Ito, A. Okamoto, H. Kondo, S. Onda, K. Takatori  
*Nature*, **430**, (2004), 1009-1012
- [55] "Three-Dimensional Diffusion of Non-Sorbing Species in Porous Sandstone: Computer Simulation Based on X-Ray Microtomography using Synchrotron Radiation"  
Y. Nakashima, T. Nakano, K. Nakamura, K. Uesugi, A. Tsuchiyama, S. Ikeda  
*Journal of Contaminant Hydrology*, **74**, (2004), 253-264
- [56] "Development of a Portable Free-Air Ionization Chamber as an Absolute Intensity Monitor for High-Energy Synchrotron Radiation up to 150 keV"  
N. Nariyama, N. Kishi, S. Ohnishi  
*Nuclear Instruments and Methods in Physics Research Section A*, **524**, (2004), 324-331
- [57] "Quantitative Diffraction-Enhanced X-ray Imaging of Weak Objects"  
Y. Nesterets, T. Gureyev, D. Paganin, K. Pavlov, S. Wilkins  
*Journal of Physics D: Applied Physics*, **37**, (2004), 1262-1274
- [58] "NeXT Hard X-ray Telescope"  
Y. Ogasaka, K. Tamura, R. Shibata, A. Furuzawa, T. Okajima, K. Yamashita, Y. Tawara, H. Kunieda  
*Proceedings of SPIE*, **5488**, (2004), 148-155
- [59] "Phase Retrieval using Coherent Imaging Systems with Linear Transfer Functions"  
D. Paganin, T. Gureyev, K. Pavlov, Robert A. Lewis, M. Kitchen  
*Optics Communications*, **234**, (2004), 87-105
- [60] "Upgraded Hard X-ray Telescope with Multilayer Supermirror for the InFOC  $\mu$  S Balloon Experiment"  
R. Shibata, Y. Ogasaka, K. Tamura, A. Furuzawa, Y. Tawara, K. Yamashita, R. Takahashi, M. Sakashita, T. Miyazawa, K. Shimoda, C. Sakai, N. Yamada, M. Naitou, T. Futamura, Peter J. Serlemitsos, Y. Soong, K. Chan, T. Okajima, J. Tueller, Hans A. Krimm, Scott D. Barthlemy, Scott M. Owens, H. Kunieda, Y. Namba  
*Proceedings of SPIE*, **5488**, (2004), 313-324
- [61] "Characterization of SOI Wafers by Synchrotron X-ray Topography"  
T. Shimura, K. Fukuda, K. Yasutake, M. Umeno  
*The European Physical Journal - Applied Physics*, **27**, (2004), 439-442
- [62] "Analysis of Three-Dimensional Microarchitecture and Degree of Mineralization in Bone Metastases from Prostate Cancer using Synchrotron Microcomputed Tomography"  
T. Sone, T. Tamada, Y. Jo, H. Miyoshi, M. Fukunaga  
*Bone*, **35**, (2004), 432-438
- [63] "Observation of Silicon front Surface Topographs of an Ultralarge-Scale-Integrated Water by Synchrotron X-ray Plane Wave"  
Y. Suzuki, Y. Tsukasaki, K. Kajiwarra, S. Kawado, S. Iida, Y. Chikaura  
*Journal of Applied Physics*, **96**, (2004), 6259-6261

- [64] "Observation of Microvasculatures in Athymic Nude Rat Transplanted Tumor Using Synchrotron Radiation Microangiography System"  
R. Tokiya, K. Umetani, S. Imai, T. Yamashita, J. Hiratsuka, Y. Imajo  
*Academic Radiology*, **11**, (2004), 1039-1046
- [65] "Analysis of the Microvasculature of Rat Transplanted Tumors Using the Synchrotron Radiation Microangiography System: Effects on Tumor Microvasculature and Microcirculation of Radiotherapy and Angiogenesis-Related Factors"  
R. Tokiya  
*川崎医学会誌 (Kawasaki Medical Journal)*, **30**, (2004), 83-97
- [66] "Global Heterogeneity of Glomerular Volume Distribution in Early Diabetic Nephropathy"  
E. Toyota, Y. Ogasawara, K. Fujimoto, T. Kajita, F. Shigeto, T. Asano, N. Watanabe, F. Kajiya  
*Kidney International*, **66**, (2004), 855-861
- [67] "Experimental Reproduction of Classic Barred Olivine Chondrules: Open-System Behavior of Chondrule Formation"  
A. Tsuchiyama, Y. Osada, T. Nakano, K. Uesugi  
*Geochimica et Cosmochimica Acta*, **68**, (2004), 653-672
- [68] "Synchrotron Radiation Microangiography for Observation of Vasodilatation using X-ray SATICON"  
K. Umetani, K. Fukushima, K. Sugimura  
*映像情報メディア学会誌 (The Journal of the Institute of Image Information and Television Engineers)*, **58**, (2004), 344-351
- [69] "A Large-Area CMOS Imager as an X-ray Detector for Synchrotron Radiation Experiments"  
N. Yagi, M. Yamamoto, K. Uesugi, K. Inoue  
*Journal of Synchrotron Radiation*, **11**, (2004), 347-352
- [70] "Direct Observation of Stray Crystal Formation in Unidirectional Solidification of Sn-Bi Alloy by X-Ray Imaging"  
H. Yasuda, I. Ohnaka, K. Kawasaki, A. Sugiyama, T. Ohmichi, J. Iwane, K. Umetani  
*Journal of Crystal Growth*, **262**, (2004), 645-652  
[2005]
- [71] "Image-Based Mechanical Analysis of Dynamic Deformation and Damage Behaviors in an Aluminium Foam Using Synchrotron X-Ray Microtomography"  
H. Toda, N. Kuroda, T. Ohgaki, M. Kobayashi, T. Akahori, M. Niinomi, T. Kobayashi, K. Uesugi, K. Makii, Y. Aruga  
*国際会議プロシーディングス (Proceedings of Porous Metals and , JIMIC-4)*, (2005), 409-414
- [72] "Three-Dimensional Structure of Dislocations in Silicon Determined by Synchrotron White X-ray Topography Combined with a Topo-Tomographic Technique"  
S. Kawado, T. Taishi, S. Iida, Y. Suzuki, Y. Chikaura, K. Kajiwara  
*Journal of Physics D: Applied Physics*, **38**, (2005), A17-A22
- [73] "Visualization of Hydride in a Pure Titanium and Titanium-Aluminide by Refraction-Enhanced X-ray Imaging Technique"  
K. Mizuno, H. Okamoto, K. Kajiwara, Y. Furuya  
*軽金属 (Journal of Japan Institute of Light Metals)*, **55**, (2005), 678-681
- [74] "Localized Morphometric Deformations of Small Airways and Alveoli in Intact Mouse Lungs under Quasi-Static Inflation"  
T. Sera, K. Uesugi, N. Yagi  
*Respiratory Physiology & Neurobiology*, **147**, (2005), 51-63
- [75] "Refraction-Enhanced Tomography of Mouse and Rabbit Lungs"  
T. Sera, K. Uesugi, N. Yagi  
*Medical Physics*, **32**, (2005), 2787-2792  
[2006]
- [76] "Monochromatic Synchrotron Radiation  $\mu$  CT Reveals Disease-Mediated Canal Network Rarefaction in Cortical Bone of Growing Rat Tibiae"  
T. Matsumoto, M. Yoshino, T. Asano, K. Uesugi, M. Todoh, M. Tanaka  
*Journal of Applied Physiology*, **100**, (2006), 274-280
- [77] "Quantitative Assessment of Microstructure and its Effects on Compression Behavior of Aluminum Foams via High-Resolution Synchrotron X-ray Tomography"  
H. Toda, T. Ohgaki, K. Uesugi, M. Kobayashi, K. Kuroda, T. Kobayashi, M. Niinomi, T. Akahori, K. Makii, Y. Aruga  
*Metallurgical and Materials Transactions A*, **37A**, (2006), 1211-1219